Electroencephalography and clinical Neurophysiology, 81 (1991) 473–475
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0924-980X/91/$03.50

Index of Authors

VOLUME 81 (EMG & Motor Control), 1991

Abbruzzese, G., Morena, M., Dall'Agata, D., Abbruzzese, M. and Favale, E.
Motor evoked potentials (MEPs) in lacunar syndromes (81) 202
Abbruzzese, M., see Abbruzzese, G. (81) 202
Ackermann, H., Scholz, E., Koehler, W. and Dichgans, J.
Influence of posture and voluntary background contraction upon compound muscle action potentials from anterior tibial and soleus muscle following transcranial magnetic stimulation (81) 71
Agostino, R., see Cruccu, G. (81) 24
Agostino, R., see Fuhr, P. (81) 257
Alaimo, M.A., see Booth, K.R. (81) 57
Amassian, V.E., see Maccabee, P.J. (81) 224
Andersen, A.B., see Lansing, R.W. (81) 167

Bandinelli, S., see Cohen, L.G. (81) 366
Becker, W.J., see Kunesch, E. (81) 337
Beckley, D.J., Bloem, B.R., Remler, M.P., Roos, R.A.C. and Van Dijk, J.G.
Long latency postural responses are functionally modified by cognitive set (81) 353
Beckley, D.J., Bloem, B.R., Van Dijk, J.G., Roos, R.A.C. and Remler, M.P.
Electrophysiological correlates of postural instability in Parkinson's disease (81) 263
Benecke, R., see Britton, T.C. (81) 186
Benecke, R., see Meyer, B.-U. (81) 38
Berardelli, A., Inghilleri, M., Cruccu, G., Mercuri, B. and Manfredi, M.
Electrical and magnetic transcranial stimulation in patients with corticospinal damage due to stroke or motor neurone disease (81) 389
Berardelli, A., Inghilleri, M., Rothwell, J.C., Cruccu, G. and Manfredi, M.
Multiple firing of motoneurones is produced by cortical stimulation but not by direct activation of descending motor tracts (81) 240
Berardelli, A., see Cruccu, G. (81) 24
Bernardi, G., see Caramia, M.D. (81) 243
Bernardi, G., see Rossini, P.M. (81) 454
Bischoff, C., Machetanz, J. and Conrad, B.
Is there an age-dependent continuous increase in the duration of the motor unit action potential? (81) 304
Bleasel, A.F. and Tuck, R.R.
Variability of repeated nerve conduction studies (81) 417
Blinkenberg, M., see Ravnborg, M. (81) 195
Bloem, B.R., see Beckley, D.J. (81) 263, 353
Bonnet, M., Requin, J. and Stelmach, G.E.
Changes in electromyographic responses to muscle stretch, related to the programming of movement parameters (81) 135
Booth, K.R., Streletz, L.J., Raab, V.E., Kerrigan, J.J., Alaimo, M.A. and Herbison, G.J.
Motor evoked potentials and central motor conduction: studies of transcranial magnetic stimulation with recording from the leg (81) 57
Branston, N.M., see Tofts, P.S. (81) 238
Britton, T.C., Meyer, B.-U. and Benecke, R.
Variability of cortically evoked motor responses in multiple sclerosis (81) 186
Britton, T.C., see Meyer, B.-U. (81) 38
Brown, D.A., see Kukulka, C.G. (81) 312

Calne, D., see Eisen, A. (81) 209
Caramia, M.D., Cicinelli, P., Paradiso, C., Mariorenzi, R., Zarola, F., Bernardi, G. and Rossini, P.M.
'Excitability' changes of muscular responses to magnetic brain stimulation in patients with central motor disorders (81) 243
Caramia, M.D., see Mariorenzi, R. (81) 90
Caramia, M.D., see Rossini, P.M. (81) 454
Caramia, M.D., see Tomberg, C. (81) 319
Cheyne, D., see Kristeva, R. (81) 284
Chokroverty, M., see Chokroverty, S. (81) 359
Chokroverty, S., Picone, M.A. and Chokroverty, M.
Percutaneous magnetic coil stimulation of human cervical vertebral column: site of stimulation and clinical application (81) 359
Cicinelli, P., see Caramia, M.D. (81) 243
Clanet, M., see Simonetta, M. (81) 129
Cohen, L.G., Bandinelli, S., Sato, S., Kufta, C. and Hallett, M.
Attenuation in detection of somatosensory stimuli by transcranial magnetic stimulation (81) 366
Cohen, L.G., see Fuhr, P. (81) 81
Cohen, L.G., see Roth, B.J. (81) 47
Conrad, B., see Bischoff, C. (81) 304
Cracco, R.Q., see Maccabee, P.J. (81) 224
Cruccu, G., Pauletti, G., Agostino, R., Berardelli, A. and Manfredi, M.
Masseter inhibitory reflex in movement disorders. Huntington's chorea, Parkinson's disease, dystonia, and unilateral masticatory spasm (81) 24
Cruccu, G., see Berardelli, A. (81) 240
Cruccu, G., see Berardelli, A. (81) 389
Curio, G., Erné, S.N., Sandfort, J., Scheer, J., Stehr, R. and Trahms, L.
Exploratory mapping of evoked neuromagnetic activity from human peripheral nerve, brachial plexus and spinal cord (81) 450

Dahl, K., see Ravnborg, M. (81) 195
Dall'Agata, D., see Abbruzzese, G. (81) 202
Day, B.L., see Thompson, P.D. (81) 397
Deecke, L., see Kristeva, R. (81) 284
Dengler, R., see Elek, J.M. (81) 279
Denny, M., see Smith, A. (81) 118
Desmedt, J.E., see Tomberg, C. (81) 269
Dichgans, J., see Ackermann, H. (81) 71
Dioszeghy, P., see Stålberg, E. (81) 403
Dorfman, L.J., see McGill, K.C. (81) 8
Dressler, D., see Thompson, P.D. (81) 397

Eberle, L.P., see Maccabee, P.J. (81) 224
Eisen, A., Siejka, S., Schulzer, M. and Calne, D.
Age-dependent decline in motor evoked potential (MEP) amplitude: with a comment on changes in Parkinson's disease (81) 209

Elek, J.M., Dengler, R., Konstanzer, A., Hesse, S. and Wolf, W.
Mechanical implications of paired motor unit discharges in pathological and voluntary tremor (81) 279
Erné, S.N., see Curio, G. (81) 450

Favale, E., see Abbruzzese, G. (81) 202
Ferrari, E., see Rossini, P.M. (81) 454
Freund, H.-J., see Kunesch, E. (81) 337
Fuglsang-Frederiksen, A., see Jørgensen, S.Å. (81) 1
Fuhr, P., Agostino, R. and Hallett, M.
Spinal motor neuron excitability during the silent period after cortical stimulation (81) 257
Fuhr, P., Cohen, L.G., Roth, B.J. and Hallett, M.
Latency of motor evoked potentials to focal transcranial stimulation varies as a function of scalp positions stimulated (81) 81

Gandolfo, C.N., see Segura, M.J. (81) 299
Gatayama, T., see Hashimoto, I. (81) 102, 176, 332, 466
Gluck, B., see Uncini, A. (81) 344
Gootzen, T.H.J.M., Stegeman, D.F. and Van Oosterom, A.
Finite limb dimensions and finite muscle length in a model for the generation of electromyographic signals (81) 152

Hallett, M., see Cohen, L.G. (81) 366
Hallett, M., see Fuhr, P. (81) 81, 257
Hallett, M., see Roth, B.J. (81) 47
Harayama, H., Shinozawa, K., Kondo, H. and Miyatake, T.
A new method to measure the distribution of motor conduction velocity in man (81) 323
Hashimoto, I., Gatayama, T., Tamaki, M., Ushijima, R., Yoshikawa, K., Sasaki, M., Nomura, M. and Isojima, H.
Multi-unit activity in sensory fibers is related to intensity of sensation evoked by air-puff stimulation of the glabrous hand in man (81) 466
Hashimoto, I., Gatayama, T., Yoshikawa, K., Sasaki, M. and Nomura, M.
Compound activity in sensory nerve fibers is related to intensity of sensation evoked by air-puff stimulation of the index finger in man (81) 176
Hashimoto, I., Odaka, K., Gatayama, T. and Yokoyama, S.
Multichannel measurements of magnetic compound action fields of the median nerve in man (81) 332
Hashimoto, I., Yoshikawa, K., Sasaki, M., Gatayama, T. and Nomura, M.
Conduction velocity and temporal dispersion of the nerve volleys evoked by air-puff stimulation of the index finger and palm (81) 102
Hayashi, R., see Tokuda, T. (81) 421
Herbison, G.J., see Booth, K.R. (81) 57
Hesse, S., see Elek, J.M. (81) 279
Hömberg, V., Stephan, K.M. and Netz, J.
Transcranial stimulation of motor cortex in upper motor neurone syndrome: its relation to the motor deficit (81) 377
Hömberg, V., see Huttunen, J. (81) 216
Hömberg, V., see Müller, K. (81) 63
Huttunen, J. and Hömberg, V.
Modification of cortical somatosensory evoked potentials during tactile exploration and simple active and passive movements (81) 216

Iizuka, H., see Sakatani, K. (81) 108
Ikeda, A., see Shibasaki, H. (81) 31
Inghilleri, M., see Berardelli, A. (81) 240, 389
Isojima, H., see Hashimoto, I. (81) 466

Jørgensen, S.Å. and Fuglsang-Frederiksen, A.
Turns-amplitude analysis at different sampling frequencies (81) 1

Kakigi, R., see Shibasaki, H. (81) 31
Kasai, T. and Komiyama, T.
Antagonist inhibition during rest and precontraction (81) 427
Kerrigan, J.J., see Booth, K.R. (81) 57
Kloten, H., see Meyer, B.-U. (81) 38
Koehler, W., see Ackermann, H. (81) 71
Komiyama, T., see Kasai, T. (81) 427
Kondo, H., see Harayama, H. (81) 323
Konstanzer, A., see Elek, J.M. (81) 279
Kossev, A.R., see Lansing, R.W. (81) 167
Kraft, G.H.
Fibrillation potentials and positive sharp waves: are they the same? (81) 163
Kristeva, R., Cheyne, D. and Deecke, L.
Neuromagnetic fields accompanying unilateral and bilateral voluntary movements: topography and analysis of cortical sources (81) 284
Kufta, C., see Cohen, L.G. (81) 366
Kujirai, T., see Uncini, A. (81) 344
Kukulka, C.G., Brown, D.A. and Weightman, M.M.
An objective method for assessing graded electrically evoked afferent activity in humans (81) 312
Kunesch, E., Becker, W.J. and Freund, H.-J.
Myoclonus and sensorimotor integration in a patient with Ramsay Hunt syndrome (81) 337

Lai, K.S., see Maccabee, P.J. (81) 224
Lansing, R.W., Solomon, N.P., Kossev, A.R. and Andersen, A.B.
Recording single motor unit activity of human nasal muscles with surface electrodes: applications for respiration and speech (81) 167
Lau, K., see McGill, K.C. (81) 8
Lauritzen, M., Liguori, R. and Trojaborg, W.
Orthodromic sensory conduction along the ring finger in normal subjects and in patients with a carpal tunnel syndrome (81) 18
Lenard, H.-G., see Müller, K. (81) 63
Levarlet-Joye, H., see Tomberg, C. (81) 269
Liguori, R., see Lauritzen, M. (81) 18

Maccabee, P.J., Amassian, V.E., Eberle, L.P., Rudell, A.P., Cracco, R.Q., Lai, K.S. and Somasundarum, M.
Measurement of the electric field induced into inhomogeneous volume conductors by magnetic coils: application to human spinal neurogeometry (81) 224
Machetanz, J., see Bischoff, C. (81) 304
Maertens de Noordhout, A., see Thompson, P.D. (81) 397
Manfredi, M., see Berardelli, A. (81) 240, 389
Manfredi, M., see Cruccu, G. (81) 24
Margari, L., see Rossini, P.M. (81) 454
Mariorenzi, R., Zarola, F., Caramia, M.D., Paradiso, C. and Rossini, P.M.
Non-invasive evaluation of central motor tract excitability changes following peripheral nerve stimulation in healthy humans (81) 90
Mariorenzi, R., see Caramia, M.D. (81) 243
Marsden, C.D., see Thompson, P.D. (81) 397
McGill, K.C., Lau, K. and Dorfman, L.J.
A comparison of turns analysis and motor unit analysis in electromyography (81) 8
Mercuri, B., see Berardelli, A. (81) 389
Meyer, B.-U., Britton, T.C., Kloten, H., Steinmetz, H. and Benecke, R.
Coil placement in magnetic brain stimulation related to skull and brain anatomy (81) 38
Meyer, B.-U., see Britton, T.C. (81) 186
Miyatake, T., see Harayama, H. (81) 323
Morena, M., see Abbruzzese, G. (81) 202

Müller, K., Hömberg, V. and Lenard, H.-G.
Magnetic stimulation of motor cortex and nerve roots in children. Maturation of cortico-motoneuronal projections (81) 63
Murai, Y., see Uozumi, T. (81) 251

Netz, J., see Hömberg, V. (81) 377
Newton, J., see Smith, A. (81) 118
Nomura, M., see Hashimoto, I. (81) 102, 176, 466

Odaka, K., see Hashimoto, I. (81) 332

Paradiso, C., see Caramia, M.D. (81) 243
Paradiso, C., see Mariorenzi, R. (81) 90
Paradiso, C., see Rossini, P.M. (81) 454
Pauletti, G., see Cruccu, G. (81) 24
Picone, M.A., see Chokroverty, S. (81) 359
Pullman, S., see Uncini, A. (81) 344

Raab, V.E., see Booth, K.R. (81) 57
Rascol, O., see Simonetta, M. (81) 129
Ravnborg, M., Blinkenberg, M. and Dahl, K.
Standardization of facilitation of compound muscle action potentials evoked by magnetic stimulation of the cortex. Results in healthy volunteers and in patients with multiple sclerosis (81) 195
Remler, M.P., see Beckley, D.J. (81) 263, 353
Requin, J., see Bonnet, M. (81) 135
Ronai, A.K., see Toleikis, J.R. (81) 443
Roos, R.A.C., see Beckley, D.J. (81) 263, 353
Rossini, P.M., Paradiso, C., Zarola, F., Bernardi, G., Caramia, M.D., Margari, L. and Ferrari, E.
Brain excitability and long latency muscular arm responses: non-invasive evaluation in healthy and parkinsonian subjects (81) 454
Rossini, P.M., see Caramia, M.D. (81) 243
Rossini, P.M., see Mariorenzi, R. (81) 90
Roth, B.J., Saypol, J.M., Hallett, M. and Cohen, L.G.
A theoretical calculation of the electric field induced in the cortex during magnetic stimulation (81) 47
Roth, B.J., see Fuhr, P. (81) 81
Rothwell, J.C., see Berardelli, A. (81) 240
Rothwell, J.C., see Thompson, P.D. (81) 397
Rudell, A.P., see Maccabee, P.J. (81) 224

Sakatani, K., Iizuka, H. and Young, W.
Randomized double pulse stimulation for assessing stimulus frequency-dependent conduction in injured spinal and peripheral axons (81) 108
Sandfort, J., see Curio, G. (81) 450
Sasaki, M., see Hashimoto, I. (81) 102, 176, 466
Sato, S., see Cohen, L.G. (81) 366
Saypol, J.M., see Roth, B.J. (81) 47
Scheer, J., see Curio, G. (81) 450
Scholz, E., see Ackermann, H. (81) 71
Schulzer, M., see Eisen, A. (81) 209
Segura, M.J., Gandolfo, C.N. and Sica, R.E.P.
Percutaneous cervical stimulation: effects on intraspinal structures (81) 299
Shibasaki, H., Kakigi, R. and Ikeda, A.
Scalp topography of giant SEP and pre-myoclonus spike in cortical reflex myoclonus (81) 31
Shinozawa, K., see Harayama, H. (81) 323
Sica, R.E.P., see Segura, M.J. (81) 299
Siejka, S., see Eisen, A. (81) 209
Simonetta, M., Clanet, M. and Rascol, O.
Bereitschaftspotential in a simple movement or in a motor sequence starting with the same simple movement (81) 129
Sloan, T.B., see Toleikis, J.R. (81) 443
Smith, A., Weber, C.M., Newton, J. and Denny, M.
Developmental and age-related changes in reflexes of the human jaw-closing system (81) 118
Solomon, N.P., see Lansing, R.W. (81) 167
Somasundarum, M., see Maccabee, P.J. (81) 224
Stålberg, E. and Dioszeghy, P.
Scanning EMG in normal muscle and in neuromuscular disorders (81) 403
Stegeman, D.F., see Gootzen, T.H.J.M. (81) 152
Stehr, R., see Curio, G. (81) 450
Steinmetz, H., see Meyer, B.-U. (81) 38
Stelmach, G.E., see Bonnet, M. (81) 135
Stephan, K.M., see Hömberg, V. (81) 377
Streletz, L.J., see Booth, K.R. (81) 57

Tako, K., see Tokuda, T. (81) 421
Tamaki, M., see Hashimoto, I. (81) 466
Thompson, P.D., Day, B.L., Rothwell, J.C., Dressler, D., Maertens de Noordhout, A. and Marsden, C.D.
Further observations on the facilitation of muscle responses to cortical stimulation by voluntary contraction (81) 397
Tofts, P.S. and Branston, N.M.
The measurement of electric field, and the influence of surface charge, in magnetic stimulation (81) 238
Tokuda, T., Tako, K., Hayashi, R. and Yanagisawa, N.
Disturbed modulation of the stretch reflex gain during standing in cerebellar ataxia (81) 421
Toleikis, J.R., Sloan, T.B. and Ronai, A.K.
Optimal transcranial magnetic stimulation sites for the assessment of motor function (81) 443
Tomberg, C. and Caramia, M.D.
Prime mover muscle in finger lift or finger flexion reaction times: identification with transcranial magnetic stimulation (81) 319
Tomberg, C., Levarlet-Joye, H. and Desmedt, J.E.
Reaction times recording methods: reliability and EMG analysis of patterns of motor commands (81) 269
Trahms, L., see Curio, G. (81) 450
Trojaborg, W., see Lauritzen, M. (81) 18
Tsuji, S., see Uozumi, T. (81) 251
Tuck, R.R., see Bleasel, A.F. (81) 417

Uncini, A., Kujirai, T., Gluck, B. and Pullman, S.
Silent period induced by cutaneous stimulation (81) 344
Uozumi, T., Tsuji, S. and Murai, Y.
Motor potentials evoked by magnetic stimulation of the motor cortex in normal subjects and patients with motor disorders (81) 251
Ushijima, R., see Hashimoto, I. (81) 466

Van Dijk, J.G., see Beckley, D.J. (81) 263, 353
Van Oosterom, A., see Gootzen, T.H.J.M. (81) 152

Weber, C.M., see Smith, A. (81) 118
Weightman, M.M., see Kukulka, C.G. (81) 312
White, J.C.
The ubiquity of contraction enhanced H reflexes: normative data and use in the diagnosis of radiculopathies (81) 433
Wolf, W., see Elek, J.M. (81) 279

Yanagisawa, N., see Tokuda, T. (81) 421
Yokoyama, S., see Hashimoto, I. (81) 332
Yoshikawa, K., see Hashimoto, I. (81) 102, 176, 466
Young, W., see Sakatani, K. (81) 108

Zarola, F., see Caramia, M.D. (81) 243
Zarola, F., see Mariorenzi, R. (81) 90
Zarola, F., see Rossini, P.M. (81) 454

Electroencephalography and clinical Neurophysiology, 81 (1991) 477–481
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0924-980X/91/$03.50

Index of Subjects

VOLUME 81 (EMG & Motor Control), 1991

(Abstracts from Society Proceedings are not included)

Action fields
– magnetic compound action potentials, 332
Action potentials
– age and motor unit action potential duration, 304
– facilitation during cortical stimulation, 195
– magnetic compound action potentials, 332
– motor conduction velocity distribution, 323
– postural facilitation of motor EPs, 71
– repeated nerve conduction studies, 417
Activation sequence
– postural reflexes in Parkinson's disease, 263
Active movement
– SEP modification by movement, 216
Afferent activity
– compound nerve activity in intensity coding, 176
– graded electrically evoked afferent activity, 312
Aging
– age and motor unit action potential duration, 304
– age-dependent decline in motor EPs amplitude, 209
– reflexes of the human jaw-closing system, 118
Air puff
– compound nerve activity in intensity coding, 176
– conduction velocity of air-puff evoked nerve volleys, 102
Ankle
– antagonist inhibition during rest and precontraction, 427
Antagonist inhibition during rest and precontraction, 427
Ataxia
– stretch reflex gain in cerebellar ataxia, 421
Automated analysis
– turns analysis vs. motor unit analysis, 8
Axonal dysfunction
– assessment of frequency-dependent conduction changes, 108

Ballistic motor command
– reaction time recording methods, 269
Bereitschaftspotentials and motor task complexity, 129
Brain-stem
– multiple firing of motoneurones, 240

Carpal tunnel syndrome
– orthodromic sensory conduction, 18
Central motor conduction
– age-dependent decline in motor EP amplitude, 209
– facilitation during cortical stimulation, 195
– motor EPs and central conduction time in the leg, 57
– motor EPs in lacunar syndromes, 202
– variability of motor EPs in multiple sclerosis, 186
Cerebellum
– myoclonus and sensorimotor integration, 337
– stretch reflex gain in cerebellar ataxia, 421
Cervical
– magnetic stimulation of cervical vertebral column, 359
– percutaneous cervical stimulation, 299
Children
– magnetic stimulation of motor cortex, 63
– reflexes of the human jaw-closing system, 118
Cognitive processes
– long-latency reflexes are modified by cognitive set, 353
Collision technique
– motor conduction velocity distribution, 323
Conduction
– assessment of frequency-dependent conduction changes, 108
– conduction velocity of air-puff evoked nerve volleys, 102
– facilitation during cortical stimulation, 195
– motor conduction velocity distribution, 323
– motor EPs and central conduction time in the leg, 57
– orthodromic sensory conduction, 18
– repeated nerve conduction studies, 417
– threshold excitability for MEPs in motor disorders, 243
– variability of motor EPs in multiple sclerosis, 186
Cortex
– electric field induced during magnetic stimulation, 47
– multiple firing of motoneurones, 240
Cortical reflex myoclonus
– mapping of giant SEP and pre-myoclonus spike, 31
Corticospinal
– latency in focal magnetic brain stimulation, 81
– magnetic stimulation in corticospinal damage, 389
– magnetic stimulation of motor cortex in children, 63
– motor EPs and central conduction time in the leg, 57
– multiple firing of motoneurones, 240
– nerve conditioning stimulation and brain TCS, 90
Cutaneous afferents
– silent period from cutaneous stimulation, 344

Depolarization
– magnetic compound action potentials, 332
Development
– reflexes of the human jaw-closing system, 118
Diagnostic value
– ubiquity of contraction enhanced H reflexes, 433
Dorsal column
– assessment of frequency-dependent conduction changes, 108
– magnetic stimulation of cervical vertebral column, 359

Dystonia
– masseter inhibitory reflex in movement disorders, 24

EEG
– Bereitschaftspotential and motor task complexity, 129
Electrical stimulation
– in corticospinal damage or motor neurone disease, 389
– magnetic stimulation and somatosensory detection, 366
– silent period from cutaneous stimulation, 344
– single motor units and cortical stimuli, 397
Electric field
– induced during magnetic stimulation, 47
– in magnetic stimulation, 238
– human spinal neurogeometry, 224
Electrode placement
– coil placement in magnetic brain stimulation, 38
EMG
– age and motor unit action potential duration, 304
– antagonist inhibition during rest and precontraction, 427
– fibrillation potentials and positive sharp waves, 163
– finite limb and muscle dimensions in EMG modelling, 152
– long-latency reflexes are modified by cognitive set, 353
– long-loop reflexes and motor programming, 135
– myoclonus and sensorimotor integration, 337
– nasal motor units in respiration and speech, 167
– postural reflexes in Parkinson's disease, 263
– prime mover muscle in RT studies, 319
– reaction time recording methods, 269
– sampling frequency for turns-amplitude analysis, 1
– scanning EMG in neuromuscular disorders, 403
– silent period from cutaneous stimulation, 344
– stretch reflex gain in cerebellar ataxia, 421
– turns analysis vs. motor unit analysis, 8
Epilepsy
– mapping of giant SEP and pre-myoclonus spike, 31
– myoclonus and sensorimotor integration, 337
Evoked potentials
– assessment of frequency-dependent conduction changes, 108
– graded electrically evoked afferent activity, 312
– myoclonus and sensorimotor integration, 337
– nerve conditioning stimulation and brain TCS, 90
– somatosensory, *see* Somatosensory evoked potentials
Excitability
– brain excitability and long-latency muscular responses, 454
– threshold excitability for MEPs in motor disorders, 243

Fibrillation potentials and positive sharp waves, 163
Finger
– compound nerve activity in intensity coding, 176
– orthodromic sensory conduction, 18
– prime mover muscle in RT studies, 319
– reaction time recording methods, 269
– topography of movement-related magnetic fields, 284
Finite limb and muscle dimensions in EMG modelling, 152
F wave
– magnetic stimulation of cervical vertebral column, 359
– motor EPs and central conduction time in the leg, 57

Giant SEP mapping and pre-myoclonus spike, 31

Hand
– conduction velocity of air-puff evoked nerve volleys, 102
– multi-unit activity in hand sensory fibres, 466
Hemiparesis
– motor EPs in lacunar syndromes, 202
Hemiplegia
– MS in corticospinal damage or motor neurone disease, 389
Hemispheric dominance
– topography of movement-related magnetic fields, 284
Hoffmann reflex
– antagonist inhibition during rest and precontraction, 427
– silent period after magnetic brain stimulation, 257
– stretch reflex gain in cerebellar ataxia, 421
– ubiquity of contraction enhanced H reflexes, 433
Huntington's disease
– masseter inhibitory reflex in movement disorders, 24

Inhibitory period
– MEPs and magnetic stimulation of motor cortex, 251
– silent period after magnetic brain stimulation, 257
Intensity coding
– compound nerve activity in intensity coding, 176
– multi-unit activity in hand sensory fibres, 466

Jaw-closing system
– reflexes of the human jaw-closing system, 118

Lacunar syndromes and motor EPs, 202
Lesions
– assessment of frequency-dependent conduction changes, 108
Long-latency components
– brain excitability and long-latency muscular responses, 454
Long-latency reflexes
– long-latency reflexes are modified by cognitive set, 353
– postural reflexes in Parkinson's disease, 263
Long-loop responses
– nerve conditioning stimulation and brain TCS, 90

Magnetic field
– magnetic compound action potentials, 332
Magnetic resonance imaging
– coil placement in magnetic brain stimulation, 38
Magnetic stimulation
– age-dependent decline in motor EPs amplitude, 209
– and motor evoked potentials, 251
– and somatosensory detection, 366
– and the induced electric field, 47, 238
– brain excitability and long-latency muscular responses, 454
– coil placement, 38
– facilitation during cortical stimulation, 195
– for assessment of motor function, 443
– human spinal neurogeometry, 224
– in upper motor neurone syndrome, 377
– latency in focal brain stimulation, 81
– motor EPs and central conduction time in the leg, 57
– MS in corticospinal damage or motor neurone disease, 389
– multiple firing of motoneurones, 240
– nerve conditioning stimulation and brain TCS, 90
– of cervical vertebral column, 359
– of motor cortex in children, 63
– postural facilitation of motor EPs, 71
– prime mover muscle in RT studies, 319
– silent period after brain stimulation, 257
– single motor units and cortical stimuli, 397
– threshold excitability for MEPs in motor disorders, 243
– variability of motor EPs in multiple sclerosis, 186
Magnetoencephalogram
– topography of movement-related magnetic fields, 284
Magnetospinogram
– mapping of evoked neuromagnetic activity, 450
Mapping, *see* Topographic mapping
Masticatory muscle
– masseter inhibitory reflex in movement disorders, 24

Maturation
– magnetic stimulation of motor cortex in children, 63
– *see also* Retardation
Mechanical stimulation
– reflexes of the human jaw-closing system, 118
Median nerve
– brain excitability and long-latency muscular responses, 454
– magnetic compound action potentials, 332
– mapping of evoked neuromagnetic activity, 450
– orthodromic sensory conduction, 18
Modelling
– electric field induced during magnetic stimulation, 47
– finite limb and muscle dimensions in EMG modelling, 152
Motor action potentials
– turns analysis vs. motor unit analysis, 8
Motor conduction
– motor conduction velocity distribution, 323
– repeated nerve conduction studies, 417
Motor control
– long-latency reflexes are modified by cognitive set, 353
Motor cortex
– brain excitability and long-latency muscular responses, 454
– cerebral stimulation in upper motor neurone syndrome, 377
– magnetic stimulation in children, 63
– multiple firing of motoneurones, 240
– prime mover muscle in RT studies, 319
– single motor units and cortical stimuli, 397
– topography of movement-related magnetic fields, 284
– variability of motor EPs in multiple sclerosis, 186
Motor disorders
– cerebral stimulation in upper motor neurone syndrome, 377
– MEPs and magnetic stimulation of motor cortex, 251
– threshold excitability for MEPs, 243
Motor evoked potentials
– age-dependent decline in MEPs amplitude, 209
– and central conduction time in the leg, 57
– assessment of motor function, 443
– facilitation during cortical stimulation, 195
– in corticospinal damage or motor neurone disease, 389
– in lacunar syndromes, 202
– latency in focal magnetic brain stimulation, 81
– MEPs and magnetic stimulation of motor cortex, 251
– percutaneous cervical stimulation, 299
– postural facilitation, 71
– threshold excitability for MEPs in motor disorders, 243
– variability of MEPs in multiple sclerosis, 186
Motor neurone
– cerebral stimulation in upper motor neurone syndrome, 377
– MS in corticospinal damage or motor neurone disease, 389
– percutaneous cervical stimulation, 299
– silent period after magnetic brain stimulation, 257
Motor pathways
– cerebral stimulation in upper motor neurone syndrome, 377
– MEPs and magnetic stimulation of motor cortex, 251
– motor conduction velocity distribution, 323
– threshold excitability for MEPs in motor disorders, 243
Motor preparation, *see* Preparation to movement
Motor programming
– long-loop reflexes and motor programming, 135
Motor responses
– coil placement in magnetic brain stimulation, 38
Motor sequence
– antagonist inhibition during rest and precontraction, 427
– Bereitschaftspotential and motor task complexity, 129
– reaction times recording methods, 269
Motor unit
– age and motor unit action potential duration, 304
– finite limb and muscle dimensions in EMG modelling, 152
– multiple firing of motoneurones, 240
– nasal motor units in respiration and speech, 167
– paired motor unit discharges in tremor, 279
– scanning EMG in neuromuscular disorders, 403
– single motor units and cortical stimuli, 397
Movement
– prime mover muscle in RT studies, 319
– reaction times recording methods, 269
– SEP modification by movement, 216
– topography of movement-related magnetic fields, 284
– *see also* Preparation to movement
Multiple sclerosis
– facilitation during cortical stimulation, 195
– threshold excitability for MEPs, 243
– variability of motor EPs, 186
Multiple unit activity in hand sensory fibres, 466
Muscle
– facilitation during cortical stimulation, 195
– motor conduction velocity distribution, 323
– postural facilitation of motor EPs, 71
– prime mover muscle in RT studies, 319
– repeated nerve conduction studies, 417
– sampling frequency for turns-amplitude analysis, 1
– scanning EMG in neuromuscular disorders, 403
– turns analysis vs. motor unit analysis, 8
Muscular dystrophy
– scanning EMG in neuromuscular disorders, 403
Myoclonus
– and sensorimotor integration, 337
– mapping of giant SEP and pre-myoclonus spike, 31
Myopathy
– sampling frequency for turns-amplitude analysis, 1
– turns analysis vs. motor unit analysis, 8

Nasal motor units in respiration and speech, 167
Nerve
– conduction velocity of air-puff evoked nerve volleys, 102
– latency in focal magnetic brain stimulation, 81
– magnetic stimulation of motor cortex in children, 63
– nerve conditioning stimulation and brain TCS, 90
– prime mover muscle in RT studies, 319
– repeated nerve conduction studies, 417
– *see also* Conduction
Neuromuscular diseases
– scanning EMG in neuromuscular disorders, 403
Neuropathy
– silent period after magnetic brain stimulation, 257
Normal human subjects
– age and motor unit action potential duration, 304
– age-dependent decline in motor EPs amplitude, 209
– Bereitschaftspotential and motor task complexity, 129
– coil placement in magnetic brain stimulation, 38
– compound nerve activity in intensity coding, 176
– conduction velocity of air-puff evoked nerve volleys, 102
– facilitation during cortical stimulation, 195
– graded electrically evoked afferent activity, 312
– latency in focal magnetic brain stimulation, 81
– long-latency reflexes are modified by cognitive set, 353
– magnetic compound action potentials, 332
– magnetic stimulation and somatosensory detection, 366
– magnetic stimulation for assessment of motor function, 443
– magnetic stimulation of motor cortex in children, 63

– mapping of evoked neuromagnetic activity, 450
– MEPs and magnetic stimulation of motor cortex, 251
– motor conduction velocity distribution, 323
– motor EPs and central conduction time in the leg, 57
– multiple firing of motoneurones, 240
– nasal motor units in respiration and speech, 167
– nerve conditioning stimulation and brain TCS, 90
– orthodromic sensory conduction, 18
– postural facilitation of motor EPs, 71
– reflexes of the human jaw-closing system, 118
– repeated nerve conduction studies, 417
– scanning EMG in neuromuscular disorders, 403
– SEP modification by movement, 216
– silent period after magnetic brain stimulation, 257
– spinal neurogeometry, 224
– topography of movement-related magnetic fields, 284
– ubiquity of contraction enhanced H reflexes, 433

Old age, *see* Aging
Oral sensorimotor system
– reflexes of the human jaw-closing system, 118

Paired motor unit discharges in tremor, 279
Parkinson's disease
– age-dependent decline in motor EPs amplitude, 209
– brain excitability and long-latency muscular responses, 454
– masseter inhibitory reflex in movement disorders, 24
– paired motor unit discharges in tremor, 279
– postural reflexes, 263
Plexus brachialis
– mapping of evoked neuromagnetic activity, 450
Positive sharp waves and fibrillation potentials, 163
Posture
– long-latency reflexes are modified by cognitive set, 353
– postural facilitation of motor EPs, 71
– postural reflexes in Parkinson's disease, 263
– stretch reflex gain in cerebellar ataxia, 421
Precuing techniques
– long-loop reflexes and motor programming, 135
Pre-myoclonus spike
– mapping of giant SEP and pre-myoclonus spike, 31
Preparation to movement
– antagonist inhibition during rest and precontraction, 427
– Bereitschaftspotential and motor task complexity, 129
Psychophysical magnitude estimation
– compound nerve activity in intensity coding, 176
– multi-unit activity in hand sensory fibres, 466
Pyramidal tract
– percutaneous cervical stimulation, 299

Quantitative EMG
– sampling frequency for turns-amplitude analysis, 1
– turns analysis vs. motor unit analysis, 8

Radiculopathy
– magnetic stimulation of cervical vertebral column, 359
– ubiquity of contraction enhanced H reflexes, 433
Ramsay-Hunt syndrome
– myoclonus and sensorimotor integration, 337
Rat
– assessment of frequency-dependent conduction changes, 108
Reaction time
– long-loop reflexes and motor programming, 135
– prime mover muscle in RT studies, 319
– reaction time recording methods, 269
Readiness field
– topography of movement-related magnetic fields, 284
Reafference
– topography of movement-related magnetic fields, 284
Receptor delay
– conduction velocity of air-puff evoked nerve volleys, 102
Recruitment
– compound nerve activity in intensity coding, 176
Reflexes
– masseter inhibitory reflex in movement disorders, 24
– postural reflexes in Parkinson's disease, 263
– reflexes of the human jaw-closing system, 118
Refractory period
– motor conduction velocity distribution, 323
Reinnervation
– scanning EMG in neuromuscular disorders, 403
Respiration and nasal motor units, 167

Sampling frequency for turns-amplitude analysis, 1
Scanning EMG in neuromuscular disorders, 403
Sensorimotor integration
– and myoclonus, 337
– SEP modification by movement, 216
Sensory conduction
– orthodromic sensory conduction, 18
– repeated nerve conduction studies, 417
Sensory deficit
– silent period after magnetic brain stimulation, 257
Sensory nerve
– compound nerve activity in intensity coding, 176
Sensory nerve action potentials
– conduction velocity of air-puff evoked nerve volleys, 102
– multi-unit activity in hand sensory fibres, 466
– repeated nerve conduction studies, 417
Silent period
– after magnetic brain stimulation, 257
– from cutaneous stimulation, 344
– masseter inhibitory reflex in movement disorders, 24
Single fibre
– finite limb and muscle dimensions in EMG modelling, 152
– scanning EMG in neuromuscular disorders, 403
Skin sensation
– compound nerve activity in intensity coding, 176
Somatosensory evoked potentials
– brain excitability and long-latency muscular responses, 454
– mapping of giant SEP and pre-myoclonus spike, 31
– motor EPs in lacunar syndromes, 202
– nerve conditioning stimulation and brain TCS, 90
– SEP modification by movement, 216
Somatosensory detection and magnetic stimulation, 366
Source localization
– topography of movement-related magnetic fields, 284
Spasticity
– threshold excitability for MEPs in motor disorders, 243
Spatial distribution, *see* Topographic mapping
Spatial recruitment
– multi-unit activity in hand sensory fibres, 466
Speech and nasal motor units, 167
Spike
– mapping of giant SEP and pre-myoclonus spike, 31
Spinal cord
– assessment of frequency-dependent conduction changes, 108
– human spinal neurogeometry, 224
– magnetic stimulation of cervical vertebral column, 359
– mapping of evoked neuromagnetic activity, 450
– percutaneous cervical stimulation, 299
– silent period after magnetic brain stimulation, 257
Spinocerebellar degeneration
– stretch reflex gain in cerebellar ataxia, 421

Stretch reflex
– long-loop reflexes and motor programming, 135
– stretch reflex gain in cerebellar ataxia, 421
Stroke
– motor EPs in lacunar syndromes, 202
– MS in corticospinal damage or motor neurone disease, 389
Sural nerve
– graded electrically evoked afferent activity, 312
Surface charge
– electric field in magnetic stimulation, 238

Tactile stimulation
– compound nerve activity in intensity coding, 176
– multi-unit activity in hand sensory fibres, 466
Temperature
– repeated nerve conduction studies, 417
Topographic mapping
– coil placement in magnetic brain stimulation, 38
– mapping of giant SEP and pre-myoclonus spike, 31
– of evoked neuromagnetic activity, 450
Transcranial brain stimulation
– silent period from cutaneous stimulation, 344
– *see also* Magnetic stimulation
Tremor and paired motor unit discharges, 279
Trigeminal system
– masseter inhibitory reflex in movement disorders, 24
Turns analysis
– sampling frequency for turns-amplitude analysis, 1
– turns analysis vs. motor unit analysis, 8
Twitch summation
– paired motor unit discharges in tremor, 279

Ulnar nerve
– orthodromic sensory conduction, 18
Upper motor neurone syndrome
– cerebral stimulation in upper motor neurone syndrome, 377

Volume conductor model
– finite limb and muscle dimensions in EMG modelling, 152
– human spinal neurogeometry, 224
Voluntary facilitation
– single motor units and cortical stimuli, 397